# **BMS-200 Battery Monitoring System**

For Aquion Battery Modules and Battery Stacks with SMI-100 Stack Monitoring Interface

# **AQUION ENERGY**

#### **PRODUCT SPECIFICATION SHEET**

Aquion Energy's BMS-200 Battery Monitoring System works with sensed Aquion module-based systems, as well as stack-based systems that use Aquion's SMI-100 Stack Monitoring Interface. The BMS-200 connects to as many as 16 modules or SMI-100 interfaces and provides easy-to-read, real-time performance data and status updates from connected Aquion batteries.

#### **PLUG-IN POWER SUPPLY**

Input	100-240 Vac, 50/60 Hz, 4 A
Output	24 V==, 9.2 A

#### **DISPLAYED INCREMENTS**

Voltage	0–1,000 Vdc (0.1 V)
Current	0-300 A (0.1 A)
Power	0–200 kW (0.1 kW)
State of Charge	0%–100% (0.1%)
Discharge Throughput	0–9,999 kWh (1 kWh)

#### COMMUNICATION

Module Comms. Protocol CANb	US (via DeviceNet cable)
Maximum No. Modules or SMI-100 Units 16	
Site Controller Comms. Protocol	Modbus TCP/IP

#### CERTIFICATIONS

UL	UL listed
CE	CE marked
IP Rating	IP20

#### **FEATURES**

Aquion Performance Mo	onitoring Yes
Integrated Web Server	Yes
Touchscreen Display	7", 800 × 480 resistive touch



### ACCESSORIES REQUIRED

#### DeviceNet Double-Ended Patchcord

Amphenol SineCo DeviceNet MN57B4BD01M (one provided per module or SMI-100)

#### **CAN Terminator**

120-ohm Terminator, Amphenol P/N P29319 Male (one provided per BMS-200)

#### Standard RJ45 Ethernet Cable

For Modbus communication and troubleshooting (Aquion does not supply this part)

#### **MISCELLANEOUS**

Weight	1.18 kg (2.59 lbs)
Ambient Temperature	-5°C-40°C
Data Storage	32 GB (minimum 1 year of data)
Data Transfer	Ethernet
Mounting Location	Indoors
Warranty	2 years


Performance characteristics based on testing conducted by Aquion Energy. Performance may vary depending on use, conditions, and application. For the most up-to-date specification, visit <a href="http://aquionenergy.com">http://aquionenergy.com</a>.

# **BMS-200 Battery Monitoring System**

For Aquion Battery Modules and Battery Stacks with SMI-100 Stack Monitoring Interface




## DIMENSIONS



All dimensions in millimeters

### SINGLE-LINE DIAGRAM



Performance characteristics based on testing conducted by Aquion Energy. Performance may vary depending on use, conditions, and application. For the most up-to-date specification, visit <a href="http://aquionenergy.com">http://aquionenergy.com</a>.